

10/03/99 09/03/99 JCS53 U.S. PTO 09/389803 55/630/60

LIMBACH & LIMBACH L.L.P.
2001 Ferry Building, San Francisco, CA 94111
415/433-4150

Address to:
Box Patent Application
Assistant Commissioner for Patents
Washington, D.C. 20231

Attorney's Docket No. SONY-Q9095
[S99P1095US00]
First Named Inventor SATORU MATSUDA

UTILITY PATENT APPLICATION TRANSMITTAL
(under 37 CFR 1.53(b))

SIR:

Transmitted herewith for filing is the patent application entitled:
**INFORMATION PROCESSING APPARATUS, METHOD AND COMPUTER PROGRAM FOR VIRTUAL
REALITY AURA SETTING**

CERTIFICATION UNDER 37 CFR § 1.10

I hereby certify that this New Application and the documents referred to as enclosed herein are being deposited with the United States Postal Service on this date September 3, 1999, in an envelope bearing "Express Mail Post Office To Addressee" Mailing Label Number EL254067301US addressed to: Box Patent Application, Assistant Commissioner for Patents, Washington, D.C. 20231.

Howard Wong

(Name of person mailing paper)

(Signature)

Enclosed are:

1. ☒ Transmittal Form (two copies required)
2. The papers required for filing date under CFR § 1.53(b):
 - i. 33 Pages of specification (including claims and abstract);
 - ii. 14 Sheets of drawings.
 ___ formal x informal
3. Declaration or oath
 - a. x Unsigned

ACCOMPANYING APPLICATION PARTS

4. ___ An assignment of the invention to Sony Corporation is attached (including Form PTO-1595).
 - i. ___ 37 CFR 3.73(b) Statement (when there is an assignee)
5. x Power of Attorney (unsigned)
6. ___ An Information Disclosure Statement (IDS) is enclosed, including a PTO-1449 and copies of ___ references.
7. ___ Preliminary Amendment.
8. x Return Receipt Postcard (MPEP 503 -- should be specifically itemized)
9. ___ Other

10. FOREIGN PRIORITY

- [x] Priority of application no. P10-277064 filed on September 30, 1998 in Japan is claimed under 35 USC 119.

The certified copy of the priority application:

- ___ is filed herewith; or
___ has been filed in prior application no. ___ filed on __, or
x will be provided.

___ English Translation Document (if applicable)

11. FEE CALCULATION

- a. ☐ Amendment changing number of claims or deleting multiple dependencies is enclosed.

CLAIMS AS FILED

	Number Filed	Number Extra	Rate	Basic Fee (\$760)
Total Claims	24 - 20	* 4	x \$18.00	72.00
Independent Claims	4 - 3	* 1	x \$78.00	78.00
<input type="checkbox"/> Multiple dependent claim(s), if any			\$260.00	0

*If less than zero, enter "0".

Filing Fee Calculation \$910.00

50% Filing Fee Reduction (if applicable) \$

12. Small Entity Status

- a. ☐ A small entity statement is enclosed.
b. ☐ A small entity statement was filed in the prior nonprovisional application and such status is still proper and desired.
c. ☐ is no longer claimed.

13. Other Fees

- ☐ Recording Assignment [\$40.00] \$0
☐ Other fees \$0
Specify _____ \$0

Total Fees Enclosed \$910.00

14. Payment of Fees

- ☒ Check(s) in the amount of \$ 910.00 enclosed.
☐ Charge Account No. 12-1420 in the amount of \$ ____.
A duplicate of this transmittal is attached.

15. All correspondence regarding this application should be forwarded to the undersigned attorney:

Seong-Kun Oh
Limbach & Limbach I.L.P.
2001 Ferry Building
San Francisco, CA 94111
Telephone: 415/433-4150
Facsimile: 415/433-8716

16. Authorization to Charge Additional Fees


- ☒ The Commissioner is hereby authorized to charge any additional fees (or credit any overpayment) associated with this communication and which may be required under 37 CFR § 1.16 or § 1.17 to Account No. 12-1420. A duplicate of this transmittal is attached.

LIMBACH & LIMBACH I.L.P.

September 3, 1999
(Date)

Attorney Docket No. SONY-Q9095
[S99P1095US00]

By:



Charles L. Hamilton
42,624

Attorney(s) or Agent(s) of Record

SONY-Q9095

Rev.B

PATENT

**INFORMATION PROCESSING APPARATUS, METHOD AND
COMPUTER PROGRAM FOR VIRTUAL REALITY AURA SETTING**

5 INVENTOR: Satoru Matsuda

CROSS-REFERENCE TO RELATED APPLICATIONS

10 The present application is related to five other applications commonly
assigned and concurrently filed therewith: Application No. 09/____,____
(attorney docket no. SONY-Q9008); Application No. 09/____,____ (attorney
docket no. SONY-Q9087); Application No. 09/____,____ (attorney docket no.
SONY-Q9094); Application No. 09/____,____ (attorney docket no. SONY-
15 Q9096); and Application No. 09/____,____ (attorney docket no. SONY-
Q9097), all of which are incorporated herein by reference.

BACKGROUND OF THE INVENTION

20 In general, the present invention relates to an information processing
apparatus, an information processing method and a presentation medium.
More particularly, the present invention relates to an information processing
apparatus, an information processing method and a presentation medium which
allow information on an application object (abbreviated hereafter to an AO) in
25 a 3-dimensional virtual space to be reported to an avatar.

In a 3-dimensional virtual space on the Internet, a plurality of objects are provided with information on a position and a "Dive" system is known as a system which allows the objects to share the information on position. Details of the "Dive" system are described in a reference entitled "DIVE - A Platform
5 for Multi-user Virtual Environments" authored by C. Carlsson and O. Hagsand, 18(6) Computers and Graphics, pages 633-669 (1993).

In the "Dive" system, however, the information is shared among all objects existing in the world, so that as the number of objects rises, there is raised a problem of an increased number of messages (an increased amount of
10 information) exchanged among the objects.

In order to solve this problem, an area referred to as an aura is defined for each object. An aura is a spatial area perceivable by an object defined for each object in which the object is capable of sensing other objects. Since only objects placed in the same area share information, the amount of information
15 shared by objects can be suppressed even if the number of objects existing in the world increases. Details of this aura technique are described in a reference entitled "Virtual Society: Extending the WWW to Support a Multi-user Interactive Shared 3D Environment" authored by Yasuaki Honda et al., Proceedings of VRML '95, pages 109 to 116 (ACM Press 1995).

20 Details of the aura concept are described in a reference entitled "A Spatial Model of Interaction in Large Virtual Environments" authored by S. Benford and L. Fahlen in September 1993, in proceedings of G. DeMichelis et al. (Eds.) presented to a Third European Conference on Computer Supported Cooperative Work, pages 109 to 124 (Kluwer Academic Publishers).

By the way, an AO (application object) also exists in a 3-dimensional virtual space. An AO is a program having a variety of additional functions in the 3-dimensional virtual space. The program is executed on an AO server.

In the technique utilizing the aura as described above, however, when a
5 certain object (including an avatar) wants to sense an AO, such as a clock tower which is far away from the object, there is raised a problem that the object is not capable of sensing the AO if the AO is located outside the aura of the object.

10

SUMMARY OF THE INVENTION

The present invention allows information of an AO in a 3-dimensional virtual space to be reported to an avatar.

According to one aspect of the present invention, there is provided an
15 information processing apparatus for management of information on objects placed in a 3-dimensional virtual space, the information processing apparatus including: a sensing-area setting means for setting a sensing area used for a sensing object to sense information on one or more sensed objects within the sensing area; and a transmission-area setting means for setting a transmission
20 area used for a transmitting object to transmit information to one or more receiving objects within the transmission area.

According to another aspect of the present invention, there is provided an information processing method for management of information on objects placed in a 3-dimensional virtual space, the information processing method
25 including the steps of: setting a sensing area used for a sensing object to sense

information on one or more sensed objects within the sensing area; and setting a transmission area used for a transmitting object to transmit information to one or more receiving objects within the transmission area.

According to a further aspect of the present invention, there is provided
5 a computer-readable medium for presenting a program executable by a
computer to operate an information processing apparatus for management of
information on objects placed in a 3-dimensional virtual space, the program to
carry out processing including the steps of: setting a sensing area used for a
sensing object to sense information on one or more sensed objects within the
10 sensing area; and setting a transmission area used for a transmitting object to
transmit information to one or more receiving objects within the transmission
area.

According to the present invention, the transmission area may be set
wider than the sensing area. This allows information on an object to be
15 reported to another object located at a remote position with a higher degree of
reliability.

A better understanding of the features and advantages of the present
invention will be obtained by reference to the following detailed description
and accompanying drawings which set forth illustrative embodiments in which
20 the principles of the invention are utilized.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram showing a typical configuration of a system
25 presenting a shared virtual space to which the present invention is applied;

Fig. 2 is a block diagram showing a typical configuration of a client PC employed in the system shown in Fig. 1;

Fig. 3 is an explanatory diagram used for describing the operation of the system shown in Fig. 1;

5 Fig. 4 is an explanatory diagram used for describing the operation of the system shown in Fig. 1;

Fig. 5 is an explanatory diagram used for describing the operation of the system shown in Fig. 1;

Fig. 6 is an explanatory diagram used for describing an aura;

10 Fig. 7 is an explanatory diagram used for describing sensing of an object accompanying a movement of an avatar;

Fig. 8 is an explanatory diagram used for describing mismatching in sensing of avatars;

15 Figs. 9A-9B are explanatory diagrams used for describing a transmission aura and a reception aura of an AO;

Fig. 10 is an explanatory diagram used for describing management information of objects held in a shared server employed in the system shown in Fig. 1;

20 Fig. 11 shows a flowchart representing movement notification processing;

Figs. 12A-12B show flowcharts representing departure detection processing carried out at a step S1 of the flowchart shown in Fig. 11; and

Figs. 13A-13B show flowcharts representing inclusion detection processing carried out at a step S3 of the flowchart shown in Fig. 11.

25

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Fig. 1 is a block diagram showing a typical configuration of a system presenting a shared virtual space to which the present invention is applied. It should be noted that the system cited in this specification means an entity obtained as a result of logically putting a plurality of apparatuses in a set without regard to whether or not the apparatuses are physically accommodated in a box.

As shown in Fig. 1, client PCs (personal computers) 1 to 3 are connected to the Internet 7 through IPs (Internet connection service providers) 4 to 6 respectively. In each of the client PCs 1 to 3, a VRML browser and a WWW browser are installed and ready to be operated.

The client PCs 1 to 3 each have two functions, namely, a 3D client function and a 2D client function. The function for a 3D client is used to notify a shared server 12 periodically or if necessary of data such as information on the location of the client PC, to receive information shared by other 3D objects from the shared server 12 supplied thereto, and to display the information. On the other hand, the function for a 2D client is executed to transmit a request for information to a WWW server 10 in accordance with an HTTP, to receive a response to the request from the WWW server 10 and to display mainly 2-dimensional information. When a URL is included in information received from the shared server 12, the 3D-client issues a request for an access to the URL to the 2D-client. At this request, the 2D-client makes an access to the URL (in actuality to the WWW server 10) to download data such as the shape of an object and forward the data to the 3D-client.

A LAN (Local Area Network) 9 is connected to the Internet 7 through a router 8. Connected to the LAN 9 are the WWW server 10, a WLS (World Location Server) 11, the shared server 12, AO (Application Object) servers 13 and 14, a mail server 15 and a communication server 16. The WWW server 10 has hard discs (HDDs) 10a and 10b whereas the other servers 11 to 16 have HDDs 11a to 16a, respectively.

It should be noted that the AO server 13 has a program for communicating with the shared server 12 to present for example an application object (AO) such as a robot or an electronic pet which moves autonomously in a virtual space. Much like the 3D-client function, the AO server 13 communicates with the shared server 12 to report information on itself and to receive information shared by other 3D objects.

The communication server 16 is connected to a telephone 18 or a facsimile 19 through a public telephone line network 17, and is radio-connected to a PHS (Personal Handyphone System) terminal 23 through a PHS service provider 20 and to a pocket-bell terminal 24 through a pager service provider 21.

Fig. 2 is a block diagram showing a typical configuration of hardware of the client PC 1. In this configuration, a CPU 30 carries out various kinds of processing by executing a program stored in a ROM 34. A HDD 31 is used for storing, among other information, VRML contents such as VRML2.0 files and predetermined script programs written in the Java (a trademark of Sun Microsystems, USA). A CD-ROM drive 32 reads out VRML contents stored in a CD-ROM disc 33.

Connected to a microphone 36 as well as right and left speakers 37 and 38, a sound processing circuit 35 inputs a sound from the microphone 36 or outputs sounds such as music and sound effects to the speakers 37 and 38. A modem 39 (or other interface device) connected to the Internet 7 is used for exchanging data with the Internet 7. An I/O (input/output) interface 40 receives operation signals from a mouse 41 and a keyboard 42. A graphics circuit 43 includes an embedded VRAM 44 for storing picture data completing various kinds of processing. The graphics circuit 43 reads out data from the VRAM 44, outputting the data to a CRT monitor 45.

A WWW browser such as Netscape Navigator, a Java interpreter and the Community Place Browser are loaded into a RAM 46 to be executed by the CPU 30. Netscape Navigator is a WWW browser running under the Windows 95 (a trademark of Microsoft Corp.) and the Community Place Browser is a VRML2.0 browser developed by Sony Corporation, the assignee of the present application.

The VRML2.0 browser implements QvLib (which is a library [or a parser] for interpreting the VRML syntax developed and gratuitously released by Silicon Graphics, Inc.) and RenderWare (which is a software renderer developed by Criterion Software Ltd., UK) or a parser and a renderer having capabilities equivalent to those of QvLib and RenderWare respectively.

As shown in Fig. 1, the Community Place Browser exchanges various kinds of data with the Netscape Navigator serving as a WWW browser in accordance with a NCAPI (Netscape Client Application Programming Interface, a trademark).

The Netscape Navigator browser receives an HTML file and VRML contents (including a VRML file and a script program written in the Java language) transmitted by the WWW server 10 by way of the Internet 7, storing the HTML file and the VRML contents in the local HDD 31. The Netscape
5 Navigator browser processes the HTML file, displaying a text and a picture obtained as a result of the processing on a CRT monitor 45. On the other hand, the Community Place Browser processes the VRML file to display a 3-dimensional virtual space on the CRT monitor 45 and changes behaviors of objects in the 3-dimensional virtual space and other display states in
10 accordance with a result of execution of the script program by the Java interpreter.

It should be noted that the other client PC 2 and PC 3 each have the same configuration as the client PC 1 even though the configurations of the PC 2 and PC 3 are not shown explicitly in the figure.

15 Next, the operation of the embodiment described above is explained by referring to Figs. 3 to 5. In the state shown in Fig. 3, first of all, a homepage on a web site providing VRML contents is browsed by using the WWW browser as shown by reference number A1. In this example, the homepage is accessed at <http://pc.sony.co.jp/sapari/>. Then, the user of the client PC 1 or PC 2
20 downloads VRML contents including a VRML2.0 file and a script program written in the Java language to enable autonomous motions in a VRML space as shown by reference number A2.

It is needless to say that VRML contents can also be obtained by letting the CD-ROM drive 32 read out the contents from the CD-ROM disc 33.

Then, the Community Place Browser serving as a VRML2.0 browser in the client PC 1 or PC 2 interprets and executes the VRML2.0 file downloaded and temporarily stored in the local HDD 31 as shown in Fig. 4 and, as indicated by reference number A3, an inquiry about the URL of the shared server 12 is

5 transmitted to the WLS 11 in accordance with a VSCP (Virtual Society Server Client Protocol). Upon receiving the inquiry, the WLS 11 searches a shared server URL management table stored in the HDD 11a for the URL inquired and transmits the URL of the shared sever 12 to the client PC 1 or 2 in response to the inquiry as indicated by reference number A4.

10 The URL thus found is used to connect the client PC 1 and 2 to the shared server 12 as shown in Fig. 5. As a result, a shared message on attributes of a shared 3D object such as the position and the motion thereof is transmitted by way of the shared server 12 as indicated by reference number A5 and the shared message is forwarded to other client PC as indicated by reference

15 number A6. In this way, a multi-user environment is implemented.

For a detailed description of the above connection procedure, refer to U.S. Patent Application No. 08/678,340.

While the 3-dimensional virtual space is used under a multi-user environment in this case, the 3-dimensional virtual space may be used under an

20 environment other than a multi-user environment as well. That is to say, the 3-dimensional virtual space may be used under an environment which is referred to hereafter as a single-user environment for the sake of convenience.

In a single-user environment, the avatar of another user is not allowed to appear in the 3-dimensional virtual space and the avatar of the user herself/himself is

25 not allowed to appear in the 3-dimensional virtual space of the client PC of a

user other than this particular user initiating the pieces of processing indicated by reference numbers A1 and A2. For the sake of convenience, the avatar of another user and the avatar of the particular user are referred to as a drawn avatar and a pilot avatar respectively. In order to establish a single-user
5 environment, it is not necessary to carry out the pieces of processing indicated by reference numbers A3 to A6.

Next, an aura is explained by referring to Fig. 6. As shown in the figure, an aura 52 with a spherical shape having a predetermined radius is formed around a pilot avatar 51 with the center of the sphere coinciding with pilot
10 avatar 51. The pilot avatar 51 is capable of receiving information from another object located inside the aura 52. That is to say, the pilot avatar 51 is capable of visually recognizing a drawn avatar 53-1 and an application object (AO) 54-1 which are located inside the aura 52. To put it concretely, the pictures of the drawn avatar 53-1 and the object 54-1 are displayed on the CRT monitor of
15 the client PC of the pilot avatar 51. However, the pilot avatar 51 is capable of visually recognizing neither a drawn avatar 53-2 nor an application object (AO) 54-2 which are located outside the aura 52. To put it concretely, the pictures of the drawn avatar 53-2 and the object 54-2 are not displayed on the CRT monitor of the client PC of the pilot avatar 51.

20 By the same token, an aura is also set for each of the other objects, namely, the drawn avatar 53-1 and the object 54-1, the drawn avatar 53-2 and the object 54-2. In this system, the size of each aura is uniform for all client PCs. It should be noted, however, that the aura of an AO can be set with a size different from the aura of the avatar if necessary. Furthermore, the use of a

spherical aura is merely for convenience and an irregularly-shaped aura may be used if so desired.

With the aura 52 prescribed as described above, it becomes necessary for the pilot avatar 51 to acquire information from the drawn avatar 53-1 and the object 54-1 but not from the drawn avatar 53-2 and the object 54-2 which are located outside the aura 52. The amount of information to be received can thus be reduced.

Consider an example shown in Fig. 7. When the avatar 51 moves, information on its new position is transmitted to the shared server 12. Upon receiving the information on the new position of the avatar 51, the shared server 12 identifies what objects (including avatars) are located inside the aura 52 centered at the new position of the avatar 51 and transmits information on the objects to the client PC of the avatar 51. In the example shown in Fig. 7, since an object 54-1 is identified as an object located inside the aura 52 centered at the new position of the avatar 51 after its movement, the shared server 12 transmits information on the object 54-1 to the client PC of the avatar 51. Upon receiving the information on the object 54-1, the client PC of the avatar 51 displays the picture of the object 54-1, allowing the user of the avatar 51 to visually recognize the object 54-1.

If a large number of objects exist in the world (the virtual space), there may also be many objects located inside the aura 52, increasing the amount of information to be received. In order to prevent the amount of information to be received from exceeding what is really required, a maximum number of objects in an aura that can be visually recognized by the avatar of the aura is set in advance to be controlled by the shared server 12. As a result, only information

on a number of objects not exceeding the selected maximum is transmitted.

For example, assume that the maximum number of objects in the aura 52 that can be visually recognized by the avatar 51 is set at two and there are three or more objects located inside the aura 52. In this case, only two objects that are included first or at earliest times are taken into account. That is to say, information on the third and subsequent objects entered the aura 52 after the second one are not reported to the avatar 51. The maximum number of objects in the aura 52 that can be visually recognized by the avatar 51 is set in advance at a value predetermined by, among other limiting factors, a restriction on resources in the client PC for the avatar 51 and a limit on a transmission bandwidth of a network between the client PC and the shared server 12.

It should be noted, however, that the maximum number of objects in the aura 52 that can be visually recognized by the avatar 51 may exclude AOs (application objects) moving autonomously in the world. Thus, the avatar 51 is always capable of visually recognizing such an AO, even if the number of objects included in the aura 52 has already reached the maximum.

By the way, if a maximum limit value is imposed on the number of objects in an aura that can be visually recognized by the avatar of the aura as described above, it will be quite within the bounds of possibility that imposition of such a limit results in a state of mismatching, that is a state in which the avatar of the aura is not capable of visually recognizing another avatar in spite of the fact that the other avatar is capable of visually recognizing the avatar of the aura.

The state of mismatching cited above is exemplified by the following case. Assume that an avatar 51 enters an aura 62 of an avatar 61 after avatars

63 and 64 have already been included in the aura 62 as shown in Fig. 8. In this case, the avatar 51 visually recognizes the avatar 61 due to the fact that the avatar 61 is the only avatar in an aura 52 of the avatar 51. On the other hand, the avatar 61 is not capable of visually recognizing the avatar 51 due to the fact that, when the avatar 51 enters the aura 62, the maximum number of avatars that can be recognized by the avatar 61 in the aura 62 has been reached by the existence of the two other avatars 63 and 64 in the aura 62. Thus, when the third avatar 51 newly enters the aura 62, the avatar count exceeds the maximum number 2, making the avatar 61 incapable of visually recognizing the third avatar 51. As a result, the avatar 61 is not capable of visually recognizing the other avatar 51, in spite of the fact that the other avatar 51 is capable of visually recognizing the avatar 61. Thus, for example, the avatar 51 is capable of requesting the avatar 61 to have a chat with the avatar 61, but the avatar 61 is not capable of accepting the request for the chat made by the avatar 51.

15 In order to avoid such a state of mismatching, the system is designed, so that, if the avatar 51 is capable of visually recognizing the avatar 61, the avatar 61 is also made capable of visually recognizing the newly entering avatar 51, even in a state in which the presence of the avatar 51 causes the avatar count in the aura 62 to exceed the maximum value thereof. It is thus possible to avoid a state of mismatching in which a specific avatar in an aura is not capable of visually recognizing another avatar in the aura in spite of the fact that the other avatar is capable of visually recognizing the specific avatar.

25 So far, a reception aura of an avatar has been mainly explained. Next, a transmission aura of an AO provided by the present invention is described by referring to Fig. 9A. In this system, while only a reception aura is set for an

avatar, reception and transmission auras are set for an AO. As shown in Fig. 9A, a reception aura 83 and a transmission aura 84 having a radius larger than that of the reception aura 83 are set for an AO 81. The transmission aura 84 is capable of informing an avatar existing at a farther location of information on the AO 81. (Note that transmission may also occur within the reception aura 83.) A reception aura 85 of an avatar 82 has a radius equal to the reception aura 83. If desired, the reception aura 85 may have a radius different from that of the reception aura 83. Without setting the transmission aura 84, that is, with only the reception aura 83 set for the AO 81, the avatar 82 will not be capable of sensing the AO 81, which is a clock tower in this example, since the AO 81 is located outside the reception aura 85 of the avatar 82. By setting also the transmission aura 84 having a radius greater than that of the reception aura 83, however, it is more positively within the bounds of possibility that the avatar 82 is located inside the transmission aura 84, even if the avatar 82 is far away from the AO 81, so that the avatar 82 is capable of sensing the AO 81.

Fig. 9B shows details similar to that of Fig. 9A, with the reception aura 83b wider than the transmission aura 84b. Such a configuration is useful when the AO 81b is desired to receive information from the avatar 82 from a greater distance than the AO 81b is desired to transmit information. As an example, the AO 81b may be a VR police station that is able to receive information from avatars at a wide distance throughout the VR world.

Fig. 11 shows a flowchart representing movement notification processing which is carried out by the shared server 12 when the shared server 12 is informed of a movement of the avatar 82 in the virtual space shown in Fig. 9A. (Similar steps are undertaken with regard to the virtual space shown

in Fig. 9B.) It should be noted that the shared server 12 has information listed in a table shown in Fig. 10 for each object **Z**, namely a shared object management table. In the shared object management table shown in Fig. 10, a list (set) **A** is a set of other objects aware of the object **Z**. A list (set) **B** is a set of other objects known by the object **Z**. A transmission-aura validity flag indicates whether the transmission aura of the object **Z** is valid or invalid.

As shown in Fig. 11, the flowchart begins with a step S1 in which the shared server 12 carries out departure detection processing when the avatar 82 moves. In the processing, the shared server 12 forms a judgment as to whether or not another object such as the AO 81 is no longer sensed by the avatar 82, that is, whether or not the other object is no longer included in the reception aura 85 of the avatar 82 due to the movement of the avatar 82. In the processing, the shared server 12 also forms a judgment as to whether or not the movement of the avatar 82 causes the avatar 82 to depart from the auras of other objects including the AO 81.

The flow of the processing then goes on to a step S2 in which the shared server 12 transmits a message on the movement of the avatar 82 to other objects in the world. This message may include information on the AO 81 to other VR objects within the transmission aura 84. The message may also include information to the avatar 82 on other VR objects within the reception aura 85.

The flow of the processing then goes on to a step S3 in which the shared server 12 carries out inclusion detection processing. In the processing, the shared server 12 forms a judgment as to whether or not another object gets newly included in the reception aura 85 of the avatar 82 due to the movement

of the avatar 82. In the processing, the shared server 12 also forms a judgment as to whether or not the avatar 82 enters the auras of other objects such as the AO 81 due to the movement of the avatar 82.

The formation of the judgment at the step S1 is explained by referring to
5 flowcharts shown in Figs. 12A-12B as follows.

As shown in Fig. 12A, the flowchart begins with a step S11 in which the shared server 12 selects an object from those in the set **B** of the avatar 82 as an object X.

The flow of the processing then goes on to a step S12 in which the
10 shared server 12 forms a judgment as to whether or not all objects in the set **B** of the avatar 82 have completed the subsequent processing following step S12. If the outcome of the judgment formed at the step S12 indicates that all objects in the set **B** of the avatar 82 have not yet completed the subsequent processing, the flow of the processing goes on to a step S13.

At the step S13, the shared server 12 forms a judgment as to whether the
15 transmission-aura area of the object X is valid or invalid. If the outcome of the judgment formed at the step S13 indicates that the transmission-aura area of the object X is invalid, the flow of the processing goes on to a step S14.

At the step S14, the shared server 12 forms a judgment as to whether or
20 not the object X is still included in the reception-aura area of the avatar 82 after the movement of the avatar 82. If the outcome of the judgment formed at the step S14 indicates that the object X is no longer included in the reception-aura area of the avatar 82, the flow of the processing goes on to a step S15.

At the step S15, the shared server 12 deletes the object X from the set **B**
25 of the avatar 82 and deletes the avatar 82 from the set **A** of the object X since

the object X is no longer in the reception-aura area of the avatar 82. That is to say, the shared sever 12 updates the shared object management tables (see Fig. 10) of the avatar 82 and the object X. After the shared object management tables have been updated at the step S15, the flow of the processing goes back
5 to the step S11 to repeat the processing described so far.

It should be noted that, if the outcome of the judgment formed at the step S14 indicates that the object X is still included in the reception-aura area of the avatar 82, on the other hand, it is not necessary to delete the object X from the set **B** of the avatar 82 nor the avatar 82 from the set **A** of the object X.
10 In this case, the flow of the processing goes back to the step S11, skipping the processing of the step S15.

If the outcome of the judgment formed at the step S13 indicates that the transmission-aura area of the object X is valid, on the other hand, the flow of the processing goes on to a step S16. At the step S16, the shared server 12
15 forms a judgment as to whether or not the avatar 82 is still included in the transmission-aura area of the object X after the movement of the avatar 82. If the outcome of the judgment formed at the step S16 indicates that the avatar 82 is no longer included in the transmission-aura area of the object X, the flow of the processing goes on to the step S15 in which the shared sever 12 updates the
20 shared object management tables as described above. After the shared object management tables have been updated at the step S15, the flow of the processing goes back to the step S11 to repeat the processing described so far. It should be noted that, if the outcome of the judgment formed at the step S16 indicates that the avatar 82 is still included in the transmission-aura area of the
25 object X, on the other hand, it is not necessary to update the shared object

management tables. In this case, the flow of the processing goes back to the step S11, skipping the processing of the step S15.

Thereafter, the pieces of processing of the steps S11 to S16 are carried out repeatedly as long as the outcome of the judgment formed at the step S12 indicates that all the objects in the set **B** of the avatar 82 have not yet been selected. When all objects in the set **B** of the avatar 82 have been selected, the flow of the processing goes on to a step S17. At the step S17, the shared server 12 selects an object from those in the set **A** of the avatar 82 as an object X. The flow of the processing then goes on to a step S18.

At the step S18, the shared server 12 forms a judgment as to whether or not all objects in the set **A** of the avatar 82 have completed the processing steps following step S18. If the outcome of the judgment formed at the step S18 indicates that all objects in the set **A** of the avatar 82 have not yet completed the subsequent processing, the flow of the processing goes on to a step S19.

At the step S19, the shared server 12 forms a judgment as to whether the transmission-aura area of the avatar 82 is valid or invalid. If the outcome of the judgment formed at the step S19 indicates that the transmission-aura area of the object X is invalid, the flow of the processing goes on to a step S20.

At the step S20, the shared server 12 forms a judgment as to whether or not the avatar 82 is still included in the reception-aura area of the object X after the movement of the avatar 82. If the outcome of the judgment formed at the step S20 indicates that the avatar 82 is no longer included in the reception-aura area of the object X, the flow of the processing goes on to a step S21.

At the step S21, the shared server 12 deletes the avatar 82 from the set **B** of the object X and deletes the object X from the set **A** of the avatar 82 since

the avatar 82 is no longer in the reception-aura area of the object X. That is to say, the shared sever 12 updates the shared object management tables (see Fig. 10) for the object X and the avatar 82. After the shared object management tables have been updated at the step S21, the flow of the processing goes back to the step S17 to repeat the processing described so far.

It should be noted that, if the outcome of the judgment formed at the step S20 indicates that the avatar 82 is still included in the reception-aura area of the object X, on the other hand, it is not necessary to delete the avatar 82 from the set **B** of the object X and delete the object X from the set **A** of the avatar 82. In this case, the flow of the processing goes back to the step S17, skipping the processing of the step S21.

If the outcome of the judgment formed at the step S19 indicates that the transmission-aura area of the avatar 82 is valid, on the other hand, the flow of the processing goes on to a step S22. At the step S22, the shared server 12 forms a judgment as to whether or not the object X is still included in the transmission-aura area of the avatar 82 after the movement of the avatar 82. If the outcome of the judgment formed at the step S22 indicates that the object X is not included in the transmission-aura area of the avatar 82 anymore, the flow of the processing goes on to the step S21 in which the shared sever 12 updates the shared object management tables as described above. After the shared object management tables have been updated at the step S21, the flow of the processing goes back to the step S17 to repeat the processing described so far. It should be noted that, if the outcome of the judgment formed at the step S22 indicates that the object X is still included in the transmission-aura area of the avatar 82, on the other hand, it is not necessary to update the shared object

management tables. In this case, the flow of the processing goes back to the step S17, skipping the processing of the step S21.

Thereafter, the pieces of processing of the steps S17 to S22 are carried out repeatedly as long as the outcome of the judgment formed at the step S18 indicates that objects in the set A of the avatar 82 have not yet all completed the subsequent processing. When all objects in the set A of the avatar 82 have completed the subsequent processing, the flow of departure detection processing is terminated and the flow of processing goes back to the step S2 of the flowchart shown in Fig. 11.

Next, the inclusion detection processing is explained by referring to flowcharts shown in Figs. 13A-13B as follows.

As shown in Fig. 13A, the flowchart begins with a step S31 in which the shared server 12 selects an object from those in the shared object management table as an object X. The flow of the processing then goes on to a step S32.

At the step S32, the shared server 12 forms a judgment as to whether or not all objects in the shared object management table have completed the subsequent processing. If all objects in the shared object management table have not yet completed the subsequent processing, the flow of the processing then goes on to a step S33.

At the step S33, the shared server 12 forms a judgment as to whether or not the object X is the avatar 82 itself. If the object X is the avatar 82 itself, the flow of the processing goes back to the step S31. If the object X is not the avatar 82 itself, on the other hand, the flow of the processing goes on to a step S34.

At the step S34, the shared server 12 forms a judgment as to whether the transmission-aura area of the object X is valid or invalid. If the outcome of the judgment formed at the step S34 indicates that the transmission-aura area of the object X is invalid, the flow of the processing goes on to a step S35.

5 At the step S35, the shared server 12 finds out if information in the shared object management table indicates that the avatar 82 is not aware of the object X and forms a judgment as to whether or not the object X is actually located in the reception-aura area of the avatar 82 after the movement of the avatar 82. If the information in the shared object management table shows that
10 the avatar 82 is not aware of the object X but the outcome of the judgment formed at the step S35 indicates that the object X was included in the reception-aura area of the avatar 82 after the movement of the avatar 82, the flow of the processing goes on to a step S37.

 At the step S37, the shared server 12 adds the object X to the set **B** of
15 the avatar 82 and adds the avatar 82 to the set **A** of the object X in the shared object management tables since the object X is now included in the reception-aura area of the avatar 82 due to the movement of the avatar 82. The flow of the processing then goes on to a step S38.

 If the information in the shared object management table shows that the
20 avatar 82 is aware of the object X or the outcome of the judgment formed at the step S35 indicates that the object X is not included in the reception-aura area of the avatar 82 after the movement of the avatar 82, on the other hand, the flow of the processing goes on to the step S38, skipping the processing of the step S37 since updating is not required. The flow of the processing from the step
25 S35 to the step S38 skipping the step S37 may represent a case in which the

object X has been excluded from the reception-aura area of the avatar 82 due to the movement of the avatar 82.

If the outcome of the judgment formed at the step S34 indicates that the transmission-aura area of the object X is valid, on the other hand, the flow of the processing goes on to a step S36.

At the step S36, the shared server 12 finds out if information in the shared object management table indicates that the avatar 82 is not aware of the object X and forms a judgment as to whether or not the avatar 82 has entered the transmission-aura area of the object X after the movement of the avatar 82.

If the information in the shared object management table shows that the avatar 82 is not aware of the object X, but the outcome of the judgment formed at the step S35 indicates that the avatar 82 has entered the transmission-aura area of the object X after the movement of the avatar 82, the flow of the processing goes on to the step S37 to update the shared object management table as described above. If the information in the shared object management table shows that the avatar 82 is aware of the object X or the outcome of the judgment formed at the step S36 indicates that the avatar 82 is not in the transmission-aura area of the object X after the movement of the avatar 82, on the other hand, the flow of the processing goes on to the step S38, skipping the processing of the step S37 since updating is not required. The flow of the processing from the step S36 to the step S38 skipping the step S37 may represent a case in which the avatar 82 has departed from the transmission-aura area of the object X due to the movement of the avatar 82.

At the step S38, the shared server 12 forms a judgment as to whether the transmission-aura area of the avatar 82 is valid or invalid. If the outcome of the

judgment formed at the step S38 indicates that the transmission-aura area of the avatar 82 is invalid, the flow of the processing goes on to a step S39.

At the step S39, the shared server 12 finds out if information in the shared object management table indicates that the object X is not aware of the avatar 82 and forms a judgment as to whether or not the avatar 82 has actually entered the reception-aura area of the object X after the movement of the object X. If the information in the shared object management table shows that the object X is not aware of the avatar 82 but the outcome of the judgment formed at the step S35 indicates that the avatar 82 has entered the reception-aura area of the object X after the movement of the object X, the flow of the processing goes on to a step S41.

At the step S41, the shared server 12 adds the avatar 82 to the set **B** of the object X and adds the object X to the set **A** of the avatar 82 in the shared object management tables since the avatar 82 is now included in the reception-aura area of the object X due to the movement of the avatar 82. The flow of the processing then goes back to the step S31.

If the information in the shared object management table shows that the object X is aware of the avatar 82 or the outcome of the judgment formed at the step S39 indicates that the avatar 82 is not included in the reception-aura area of the object X after the movement of the avatar 82, on the other hand, the flow of the processing goes back to the step S31, skipping the processing of the step S41 since updating is not required. The flow of the processing from the step S39 back to the step S31 skipping the step S41 may represent a case in which the avatar 82 has departed from the reception-aura area of the object X due to the movement of the avatar 82.

If the outcome of the judgment formed at the step S38 indicates that the transmission-aura area of the avatar 82 is valid, on the other hand, the flow of the processing goes on to a step S40.

At the step S40, the shared server 12 finds out if information in the shared object management table indicates that the object X is not aware of the avatar 82 and forms a judgment as to whether or not the object X is actually located in the transmission-aura area of the avatar 82 after the movement of the avatar 82. If the information in the shared object management table shows that the object X is not aware of the avatar 82 but the outcome of the judgment formed at the step S40 indicates that the object X has entered the transmission-aura area of the avatar 82 after the movement of the avatar 82, the flow of the processing goes on to the step S41 to update the shared object management table as described above. If the information in the shared object management table shows that the object X is aware of the avatar 82 or the outcome of the judgment formed at the step S40 indicates that the object X is not in the transmission-aura area of the avatar 82 after the movement of the avatar 82, on the other hand, the flow of the processing goes back to the step S31, skipping the processing of the step S41 since updating is not required. The flow of the processing from the step S40 back to the step S31 skipping the step S41 may represent a case in which the object X has been excluded from the transmission-aura area of the avatar 82 due to the movement of the avatar 82.

The pieces of processing in the steps S31 to S41 are carried out repeatedly as long as the outcome of the judgment formed at the step S32 indicates that all the objects in the shared object management table have not yet

completed the subsequent processing. When all objects in the shared object management table have completed the subsequent processing, the flow of the processing is terminated and goes back to the calling program.

It should be noted that a computer program to be executed for carrying
5 out the various kinds of processing described above may be presented to the user in computer-readable form through presentation media which can be network presentation media such as a network, or information recording media such as a CD-R, a CD-ROM or a floppy disc. As an alternative, the program can be stored in an embedded RAM or a hard disc if necessary.

10 It should be understood that various alternatives to the embodiments of the invention described herein may be employed in practicing the invention. It is intended that the following claims define the scope of the invention and that structures within the scope of these claims and their equivalents are covered thereby.

WHAT IS CLAIMED IS:

1. An information processing apparatus for management of
information on objects placed in a 3-dimensional virtual space, said
5 information processing apparatus comprising:
a sensing-area setting means for setting a sensing area used for a sensing
object to sense information on one or more sensed objects within said sensing
area; and
a transmission-area setting means for setting a transmission area used
10 for a transmitting object to transmit information to one or more receiving
objects within said transmission area.
2. The information processing apparatus of claim 1, wherein said
transmission area is wider than said sensing area.
- 15 3. The information processing apparatus of claim 1, wherein said
sensing area is wider than said transmission area.
4. The information processing apparatus of claim 1, wherein said
20 transmitting object is said sensing object.

5. The information processing apparatus of claim 1, further comprising:

interaction means for exchanging data between said sensing object and said one or more sensed objects based on said sensing area, and between said
5 transmitting object and said one or more receiving objects based on said transmission area.

6. The information processing apparatus of claim 1, further comprising:

10 determination means for determining whether said one or more sensed objects are within said sensing area, and for determining whether said one or more receiving objects are within said transmission area.

7. An information processing method for management of
15 information on objects placed in a 3-dimensional virtual space, said information processing method comprising the steps of:

setting a sensing area used for a sensing object to sense information on one or more sensed objects within said sensing area; and

20 setting a transmission area used for a transmitting object to transmit information to one or more receiving objects within said transmission area.

8. The information processing method of claim 7, wherein said transmission area is wider than said sensing area.

9. The information processing method of claim 7, wherein said sensing area is wider than said transmission area.

10. The information processing method of claim 7, wherein said transmitting object is said sensing object.

11. The information processing method of claim 7, further comprising the step of:

exchanging data between said sensing object and said one or more sensed objects based on said sensing area, and between said transmitting object and said one or more receiving objects based on said transmission area.

12. The information processing method of claim 7, further comprising the step of:

determining whether said one or more sensed objects are within said sensing area, and whether said one or more receiving objects are within said transmission area.

13. A computer-readable medium for presenting a program executable by a computer to operate an information processing apparatus for management of information on objects placed in a 3-dimensional virtual space, said program to carry out processing including the steps of:

5 setting a sensing area used for a sensing object to sense information on one or more sensed objects within said sensing area; and

 setting a transmission area used for a transmitting object to transmit information to one or more receiving objects within said transmission area.

10 14. The computer-readable medium of claim 13, wherein said transmission area is wider than said sensing area.

 15. The computer-readable medium of claim 13, wherein said sensing area is wider than said transmission area.

15 16. The computer-readable medium of claim 13, wherein said transmitting object is said sensing object.

 17. The computer-readable medium of claim 13, wherein said
20 program further comprises the step of:

 exchanging data between said sensing object and said one or more sensed objects based on said sensing area, and between said transmitting object and said one or more receiving objects based on said transmission area.

18. The computer-readable medium of claim 13, wherein said program further comprises the step of:

determining whether said one or more sensed objects are within said sensing area, and whether said one or more receiving objects are within said transmission area.

19. An information processing apparatus for management of information on objects placed in a 3-dimensional virtual space, said information processing apparatus comprising:

10 a storage element configured to store information related to a sensing object, information related to one or more sensed objects, information related to a sensing area, information related to a transmitting object, information related to one or more receiving objects, and information related to a transmission area, wherein said sensing area is used for said sensing object to sense said information related to said one or more sensed objects within said sensing area, and wherein said transmission area is used for said transmitting object to transmit said information related to said transmitting object to said one or more receiving objects within said transmission area; and

15 a processor, coupled to said storage element, said processor configured to selectively set said sensing area and said transmission area.

20 20. The information processing apparatus of claim 19, wherein said transmission area is wider than said sensing area.

21. The information processing apparatus of claim 19, wherein said sensing area is wider than said transmission area.

22. The information processing apparatus of claim 19, wherein said
5 transmitting object is said sensing object.

23. The information processing apparatus of claim 19, wherein:
said processor is further configured to exchange data between said
sensing object and said one or more sensed objects based on said sensing area,
10 and between said transmitting object and said one or more receiving objects
based on said transmission area.

24. The information processing apparatus of claim 19, wherein:
said processor is further configured to determine whether said one or
15 more sensed objects are within said sensing area, and to determine whether said
one or more receiving objects are within said transmission area.

ABSTRACT OF THE DISCLOSURE

According to the present invention, there are provided an information processing apparatus, an information processing method and a
5 computer-readable medium for use with a virtual reality environment. The information processing apparatus includes a sensing-area setting means for setting an area used to sense information on objects, and a transmission-area setting means for setting an area used for transmitting information on an object. The transmission area may be set wider than the sensing area. Thus, according
10 to the present invention, information on an object can be reported to another object located at a remote position with a higher degree of reliability.

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 8




FIG. 9A




FIG. 10

OBJECT MANAGEMENT INFORMATION
FOR EACH OBJECT

LIST (SET) A OF PARTNERS EACH SENSING THE OBJECT
LIST (SET) B OF PARTNERS SENSED BY THE OBJECT
TRANSMISSION-AURA VALIDITY FLAG

FIG. 9B




FIG. 11




FIG. 12A




FIG. 12B




FIG. 13A




FIG. 13B





FIG.13



SONY-Q9095

BY EXPRESS MAIL NO. EL254067301US

Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。	As a below named inventor, I hereby declare that:
私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。	My residence, post office address and citizenship are as stated next to my name.
<p>下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者であると（下記の名称が複数の場合）信じています。</p> <p>_____</p> <p>_____</p>	<p>I believe I am the original, first and sole inventor (if only one named is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.</p> <p>INFORMATION PROCESSING APPARATUS, METHOD AND COMPUTER PROGRAM FOR VIRTUAL REALITY AURA SETTING</p>
<p>上記発明の明細書（下記の欄でx印がついていない場合は、本書に添付）は、</p> <p><input type="checkbox"/> 月 日 に提出され、米国出願番号または特許協定条約国際出願番号を _____ とし、 （該当する場合） _____ に訂正されました。</p>	<p>the specification of which is attached hereto unless the following box is checked:</p> <p><input type="checkbox"/> was filed on _____ as United States Application Number or PCT International Application Number _____ and was amended on _____ (if applicable).</p>
私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.
私は、連邦規則法典第37編第1条56項に定義されるとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。	I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.
私は、米国法典第35編119条(a)-(d)項又は365条(b)項に基き下記の、米国以外の国の少なくとも一カ国を指定している特許協力条約365(a)項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。	I hereby claim foreign priority under Title 35, United States Code, Section 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.
<p>Prior Foreign Application(s) 外国での先行出願</p> <p>P10-277064 (Number) (番号)</p> <p>Japan (Country) (国名)</p>	<p>Priority Not Claimed 優先権主張なし</p> <p>30 September 1998 (Day/Month/Year Filed) (出願年月日)</p>

Japanese Language Declaration

日本語宣言書

(Number) _____ (番号) _____		(Country) _____ (国名) _____		(Day/Month/Year Filed) _____ (出願年月日) _____	
私は、第35編米国法典119条(e)項に基いて下記の米 国特許出願規定に記載された権利をここに主張いたします。		I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.			
(Application No.) _____ (出願番号) _____		(Filing Date) _____ (出願日) _____		(Application No.) _____ (出願番号) _____	
(Filing Date) _____ (出願日) _____		(Filing Date) _____ (出願日) _____			
私は、下記の米国法典第35編120条に基いて下記の米 国特許出願に記載された権利、又は米国を指定している特許 協力条約365条(c)に基づく権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条 第1項又は特許協力条約で規定された方法で先行する米国特 許出願に開示されていない限り、その先行米国出願書提出日 以降で本出願書の日本国内または特許協力条約国際提出日ま での期間中に入手された、連邦規則法典第37編1条56項 で定義された特許資格の有無に関する重要な情報について開 示義務があることを認識しています。		I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.			
(Application No.) _____ (出願番号) _____		(Filing Date) _____ (出願日) _____		(Status: Patented, Pending, Abandoned) (現況: 特許許可済、係属中、放棄済)	
(Application No.) _____ (出願番号) _____		(Filing Date) _____ (出願日) _____		(Status: Patented, Pending, Abandoned) (現況: 特許許可済、係属中、放棄済)	
私は、私自身の知識に基づいて本宣言書中で私が行なう表 明が真実であり、かつ私の入手した情報と私の信じるところ に基づく表明が全て真実であると信じていること、さらに故 意になされた虚偽の表明及びそれと同等の行為は米国法典第 18編第1001条に基づき、罰金または拘禁、もしくはそ の両方により処罰されること、そしてそのような故意による 虚偽の声明を行なえば、出願した、又は既に許可された特許 の有効性が失われることを認識し、よってここに上記のごと く宣誓を致します。		I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may be jeopardize the validity of the application or any patent issued thereon.			

Japanese Language Declaration

日本語宣言書

委任状： 私は下記の発明者として、本出願に関する一切の手続きを米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。（弁理士、または代理人の氏名及び登録番号を明記のこと）

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark office connected therewith (*list name and registration number*)

Karl A. Limbach	18,689	Alfred A. Equitz	30,922	Kyla L. Harriel	41,816
George C. Limbach	19,305	Mark A. Dalla Valle	34,147	Mayumi Maeda	40,075
John K. Uilkema	20,282	Charles P. Sammut	28,901	Kent J. Tobin	39,496
Neil A. Smith	25,441	Mark C. Pickering	36,239	Michael R. Ward	38,651
Veronica C. Devitt	29,375	Patricia Coleman James	37,155	Roger S. Sampson	44,314
Ronald L. Yin	27,607	Kathleen A. Frost	37,326	Tina Chen	P-44,606
Gerald T. Sekimura	30,103	Alan S. Hodes	38,185	Charles L. Hamilton	42,624
Michael A. Stallman	29,444	Alan A. Limbach	39,749	Andrew V. Smith	43,132
Philip A. Girard	28,848	Douglas C. Limbach	35,249	Heath W. Hoglund	41,076
Michael J. Pollock	29,098	Seong-Kun Oh*		J. Thomas McCarthy	22,420
Stephen M. Everett	30,050	Cameron A. King	41,897		

* Recognition under 37 CFR 10.9(b)

書類送付先

Send Correspondence to:

**Charles P. Sammut, Esq.
Limbach & Limbach L.L.P.
2001 Ferry Building
San Francisco, CA 94111-4262**

直接電話連絡先：（名前及び電話番号）

Direct Telephone Calls to: (*name and telephone number*)

**Charles P. Sammut
(415) 433-4150**

唯一または第一発明者名

Full name of sole or first inventor:

SATORU MATSUDA

発明者の署名

日付

Inventor's signature

Date

住所

Residence

Kanagawa, Japan

国籍

Citizenship

Japan

私書箱

Post Office Address

c/o SONY CORPORATION
7-35, Kitashinagawa 6-chome
Shinagawa-ku, Tokyo, 141-0001 JAPAN